

[Tutorials](#) ▾[References](#) ▾[Exercises](#) ▾[Sign In](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)

HTML <object> Tag

[◀ Previous](#)[Complete HTML Reference](#)[Next ▶](#)

Example

An embedded image:

```
<object data="pic_trulli.jpg" width="300" height="200"></object>
```

[Try it Yourself »](#)

Example

An embedded HTML page:

```
<object data="snippet.html" width="500" height="200"></object>
```

[Tutorials](#) ▾[References](#) ▾[Exercises](#) ▾[Sign In](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)

Example

[REMOVE ADS](#)

An embedded video:

```
<object data="video.mp4" width="400" height="300"></object>
```

[Try it Yourself](#) »

Definition and Usage

The `<object>` tag defines a container for an external resource.

The external resource can be a web page, a picture, a media player, or a plug-in application.

To embed a picture, it is better to use the `` tag.

To embed HTML, it is better to use the `<iframe>` tag.

To embed video or audio, it is better to use the `<video>` and `<audio>` tags.

Browser Support

Element	Chrome	Firefox	Internet Explorer	Opera	Safari
<code><object></code>	Yes	Yes	Yes	Yes	Yes



Tutorials ▾

References ▾

Exercises ▾



Sign In



CSS

JAVASCRIPT

SQL

PYTHON

JAVA

PHP

HOW TO

W3.CSS

C

The `<object>` tag was originally designed to embed browser plug-ins.

[REMOVE ADS](#)

Plug-ins are computer programs that extend the standard functionality of the browser.

Plug-ins have been used for many different purposes:

- Run Java applets
- Run ActiveX controls
- Display Flash movies
- Display maps
- Scan for viruses
- Verify a bank id

Warning !

Most browsers no longer support Java Applets and Plug-ins.

ActiveX controls are no longer supported in any browser.

The support for Shockwave Flash has also been turned off in modern browsers.



Tutorials ▾

References ▾

Exercises ▾



Sign In



CSS

JAVASCRIPT

SQL

PYTHON

JAVA

PHP

HOW TO

W3.CSS

C

Attributes

[REMOVE ADS](#)

Attribute	Value	Description
<u>data</u>	<i>URL</i>	Specifies the URL of the resource to be used by the object
<u>form</u>	<i>form_id</i>	Specifies which form the object belongs to
<u>height</u>	<i>pixels</i>	Specifies the height of the object
<u>name</u>	<i>name</i>	Specifies a name for the object
<u>type</u>	<i>media_type</i>	Specifies the media type of data specified in the data attribute
<u>typemustmatch</u>	<i>true/false</i>	Specifies whether the type attribute and the actual content of the resource must match to be displayed
<u>usemap</u>	<i>#mapname</i>	Specifies the name of a client-side image map to be used with the object
<u>width</u>	<i>pixels</i>	Specifies the width of the object

Global Attributes

The `<object>` tag also supports the [Global Attributes in HTML](#).

Event Attributes

The `<object>` tag also supports the [Event Attributes in HTML](#).

[Tutorials](#) ▾[References](#) ▾[Exercises](#) ▾[Sign In](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)[HTML tutorial: HTML Object Element](#)[REMOVE ADS](#)[HTML DOM reference: Object Object](#)

Default CSS Settings

Most browsers will display the `<object>` element with the following default values:

```
object:focus {  
  outline: none;  
}
```

[◀ Previous](#)[Complete HTML Reference](#)[Next ▶](#)



Tutorials ▾

References ▾

Exercises ▾



Sign In



CSS

JAVASCRIPT

SQL

PYTHON

JAVA

PHP

HOW TO

W3.CSS

C

REMOVE ADS

Get Certified

Unlock **40+ certifications**
One price. One-time payment.

\$499

~~\$1995~~ · One-time payment

Learn more

COLOR PICKER



PLUS

SPACES

GET CERTIFIED

FOR TEACHERS

Top Tutorials

- HTML Tutorial
- CSS Tutorial
- JavaScript Tutorial



Tutorials ▾

References ▾

Exercises ▾



Sign In



CSS

JAVASCRIPT

SQL

PYTHON

JAVA

PHP

HOW TO

W3.CSS

C

Java Tutorial

C++ Tutorial

jQuery Tutorial

FORUM ABOUT ACADEMY

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.

Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness

of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookies](#) and [privacy policy](#).

Copyright 1999-2026 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.

Top References

HTML Reference

CSS Reference

JavaScript Reference

SQL Reference

Python Reference

W3.CSS Reference

Bootstrap Reference

PHP Reference

HTML Colors

Java Reference

AngularJS Reference

jQuery Reference

Top Examples

HTML Examples

CSS Examples

JavaScript Examples

How To Examples

SQL Examples

Python Examples

W3.CSS Examples

Bootstrap Examples

PHP Examples

Java Examples

XML Examples

jQuery Examples

Get Certified

HTML Certificate

CSS Certificate

JavaScript Certificate

Front End Certificate

SQL Certificate

Python Certificate

PHP Certificate

jQuery Certificate

Java Certificate

C++ Certificate

C# Certificate

XML Certificate